

Time: 3 hours

Full Marks: 300

The figures in the right-hand margin indicate marks.

Candidates should attempt Q. No. 1 from Section – A and Q. No. 5 from Section – B which are compulsory and any three of the remaining questions, selecting at least one from each Section.

## SECTION - A

- 1. Attempt any three of the following:
  - (a) (i) The following table gives the marks secured by 100 students in mathematics:

# Range of Marks No. of Students


30 – 40	. 7	. 25
40 – 50		35
50 - 60		22
60 – 70		11
70 – 80		7

AK - 53/7

(Turn over)

Using Newton's forward difference interpolation, find the number of students who secured marks in the range from 36 to 45.

- (ii) The polynomials  $\phi_0(x) = 1$ ,  $\phi_1(x) = x \frac{1}{2}$ ,  $\phi_2(x) = x^2 x + \frac{1}{6}$  are orthogonal in [0, 1]. Using these polynomials find the least square polynomial approximations of degree 0, 1, 2 for the function  $f(x) = x^2 2x + 3$  on [0, 1].
- (b) Determine whether the graph as shown below is a simple graph, multigraph or pseudograph. Find the degree of each vertex. Also find a simple path.




(c) (i) Solve: 10  $2x^{2}\frac{dy}{dx} = (x-1)(y^{2}-x^{2}) + 2xy$ (ii) Solve: 10  $(x^2D^2 + 4x + D + 2)y = \sin x$ (d) Solve:  $y'' - 2x^2y' + 4xy = x^2 + 2x + y$  in powers of x. 20 (a) (i) Find a real root of the equation f(x) = $x^3 - 2x - 5 = 0$  by Regula-Falsi method correct upto three places of decimal. 15 Give the geometrical interpretation of (ii) Newton-Raphson method and find the rate of convergence of this. 15 Using Euler's modified method solve (b) (i) numerically the equation  $y' = x + |\sqrt{y}|$  with y(0) = 1 for  $0 \le x \le 0.6$  in step of 0.2. 15 (ii) Solve the equation y' = x + y with  $y_0 = 1$ by Runge-Kutta rule from x = 0 to x = 0.4with h = 0.1. 15

(3)

(Turn over)

AK - 53/7

- (a) (i) Define a bipartite graph. A simple graph is bipartite if and only if it is possible to assign one of two different colors to each vertex of the graph so that no two adjacent vertices are assigned the same color. Prove this.
  - (ii) What is the minimum number of vertices in a 3-regular bipartite planer graph?
  - (b) (i) A Tree has 3 vertices of degree 3 each.
    What is the number of leaves in this tree?
    20
    - (ii) Draw the spanning trees of the following graph:



4. (a) (i) Solve Dx + Dy = t,  $D^2x - y = e^{-t}$  using Laplace transform method which satisfies the conditions x(0) = 3, x'(0) = -2, y(0) = 0.

- (ii) Solve  $y^2z(x \cos x \sin x)dx + x^2z(y \cos y \sin y)dy + xy (y \sin x + x \sin y + xy \cos z)dz = 0.$  15
- (b) (i) Find a complete integral of  $p^2x^2 = z(z-qy)$  where  $p = \frac{\partial z}{\partial x}$ ,  $q = \frac{\partial z}{\partial y}$ . 10
  - (ii) Reduce  $x^2r y^2t + px qy = x^2$  to canonical form.

### SECTION - B

- 5. Answer any three of the following
  - (a) Write a flow chart and a FORTRAN program to find the largest of three given numbersA, B, C.
  - (b) A ladder of weight W rests on an angled to the horizontal with its end resting on a smooth floor and against a smooth vertical wall. The lower end is joined by a rope to the junction of the wall and the floor. Find the terms of W and α, the tension the rope and the resistance of the wall and the ground.

(c) Find the dual of the following LPP: 20

Min z = 
$$2x_1 - 4x_2 + 3x_3$$
  
s.t.  $2x_1 - 2x_2 + 3x_3 \le 8$   
 $4x_1 + 4x_2 + 10x_3 \le 20$   
 $3x_1 - 5x_2 \le 10$ 

 $x_1$ ,  $x_2$  are unrestricted and  $x_3 \ge 0$ .

- (d) Derive Euler's Equation of motion in Cartesian form.
- 6. (a) Using the dual, solve the following LPP: 30

  Max  $Zp = 5x_1 2x_2 + 3x_3$

s.t. 
$$2x_1 + 2x_2 - x_3 \ge 2$$
  
 $3x_1 - 4x_2 \le 3$   
 $x_2 + 2x_3 \le 5$   
and  $x_1, x_2, x_3 \ge 0$ .

(b) (i) State the laws of static and kinetic friction
A light ladder is supported on a rough
floor and leans against a smooth wall.
How far up the ladder can a man climb
without slipping taking place?

15

(ii) A uniform bar AB, 10ft long, is hinged at B and supported in a vertical plane by a light string AC which connects A to a points C, 10ft directly above B. If AB weights 20lbs and AC = 15ft, find the tension in AC and the reaction at B. 15

# 7. (a) Solve the following transportation problem: 30

### **Destinations**

		D <sub>1</sub>	D <sub>2</sub>	D <sub>3</sub>	Supply
So ukol	O <sub>1</sub>	2	7	4	5
	O <sub>2</sub>	3	3	1	. 8
Origins	O <sub>3</sub>	5	4	7	7
eringsis Om ligg	04	1	6	2	14
	Demand	7	9	18	34

(b) (i) State and prove the principle of angular momentum and the principle of energy for a particle of mass m moving with

(ii) State and prove D'Alembert's principle.

10

8. (a) A company has 4 machines to do 3 jobs. Each job can be assigned to one and only

AK - 53/7 (7) (Turn over)

one machine. The cost of each job on each machine is given in the following table: 30

## **Machines**

an u ant h	ail thi	W	X	Υ,	Z
ar s	Α	18	24	28	32
Jobs	В	8	.13	17	19 22
	С	10	15	19	22

What are the job assignments which will minimize the cost?

- (b) (i) A ball is thrown with an initial velocity of 90 ft/sec to strike an object at a horizontal distance of 120 ft and at a height of 40 ft above the ground. At what angle to the horizontal should the ball be thrown ?(Neglect air resistance and the height above ground of the point of projection).
  - (ii) Mud is thrown off from the tire of a wheel (radius a) of a car travelling at a speed v, where v² > ga. Neglecting the resistance of the air, show that no mud can rise higher than a height a + v²/2g + ga²/2v² above the ground.

